Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16516	((photodiode\$2 or photodetect\$5) near6 (substrate\$2 or layer\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:16
L2	228240	((prevent\$6 or block\$6 or obstruct\$6) near4 (light or illuminat\$6 or radiat\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:17
L3	4221	1 same "3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:17
L4	598	1 same 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:30
L5	133097	"250"/\$7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:18
L6	110	4 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:29
·L7	364	(adjust\$4 chang\$5 alter\$4 modif\$4) near5 1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:21
L8	2	6 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:20

L9	1779	(adjust\$4 chang\$5 alter\$4 modif\$4) same 1	US-PGPUB; USPAT;	OR	ON	2005/09/21 14:21
		Saille 1	USOCR; EPO; JPO; DERWENT; IBM_TDB			
L10	2	6 and 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:21
L11	29340	peak adj detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:31
L12	0	(1 same 2) near (peak adj detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:31
L13	5139	erbium adj doped adj fiber adj amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:45
L14	25053	transponder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:45
L15	139	13 and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:48
L16	1	1 same (13 and 14)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:46

L17	1	5 and 15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:49
L18	39558	"372"/\$7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:49
L19	7	15 and 18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:49

Ref	Hits	Search Query	DBs	Default	Plurals	Time Stamp
#	HILS	Search Query	DDS	Operator	Piuldis	Time Stamp
L1	922392	(photodiode diode detect\$3 sens\$3) same (laser (feedback adj laser) (light adj source) light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:40
L2	1150620	(first second many plurality) with (photodiode diode detect\$3 sens\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:41
L3	322381	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON '	2005/09/21 09:42
L4	5160	250/214r,205.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:42
L5	1763	3 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:43
L6	4746	(extinction adj ratio) (optical adj modulation adj amplitude)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:44
L7	11	5 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON ·	2005/09/21 09:47
L8	1547	250/205.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR.	ON	2005/09/21 09:47

<u> </u>						
L9	16644	feedback and (laser with (photodiode diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:48
L10	129	8 and 9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:08
L11	1921	(posamentier or kirkpatrick).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:09
L12	172127	("250" "372").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR _	ON	2005/09/21 10:09
L13	14	11 and 12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:09

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5017	laser and photodiode and circuit\$3 and bandwidth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 16:11
L2		(laser and photodiode and circuit\$3 and bandwidth).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 17:03
L3	0	(laser and photodiode and circuit\$3 and bandwidth and (alternat\$3 adj circuit adj component)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 16:13
L4	4	"4415803".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 17:04
L5	2	"4882482".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 17:48
L6	1	(transponder and photodiode and bandwidth and (EDFA or (erbium adj doped adj fiber adj amplifier))). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 17:49
S1	922392	(photodiode diode detect\$3 sens\$3) same (laser (feedback adj laser) (light adj source) light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:15
S2	1150620	(first second many plurality) with (photodiode diode detect\$3 sens\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:41

S3	322381	S1 and S2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:42
S4	5160	250/214r,205.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:42
S5	1763	S3 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:43
S6	4746	(extinction adj ratio) (optical adj modulation adj amplitude)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:44
S7	. 11	S5 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:47
S8	1547	250/205.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:47
59	16644	feedback and (laser with (photodiode diode))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 09:48
S10	129	S8 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:08

S11`	1921	(posamentier or kirkpatrick).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:09
S12	172127	("250" "372").clas.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:09
S13	14	S11 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:48
S14	2306	photo\$2diode same substrate same laser	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:52
S15	0	S14 same (AC adj (circuit\$3 current))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:50
S16	26	S14 and (AC adj (circuit\$3 current))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:50
S17	424	S14 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 10:53
S18	12	S17 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:01

S19	2	"5371360".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 11:47
S20	2	"5600126".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:48
S21	9	"6201234"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:48
S22	2	"6064507".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 12:49
S23	16516	((photodiode\$2 or photodetect\$5) near6 (substrate\$2 or layer\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:16
S24	228240	((prevent\$6 or block\$6 or obstruct\$6) near4 (light or illuminat\$6 or radiat\$6))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:17
S25	4221	S23 same "3"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:17
S26	598	S23 same S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2005/09/21 14:30

S27	133097	"250"/\$7.ccls.	US-PGPUB;	OR	ON	2005/09/21 14:18
			USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB			
S28	110	S26 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:29
S29	364	(adjust\$4 chang\$5 alter\$4 modif\$4) near5 S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:21
S30	2	S28 and S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:20
S31	1779	(adjust\$4 chang\$5 alter\$4 modif\$4) same S23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:21
S32	2	S28 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:21
S33	29340	peak adj detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:31
S34	0	(S23 same S24) near (peak adj detect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:31

S35	5139	erbium adj doped adj fiber adj amplifier	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:45
S36	25053	transponder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:45
S37	139	S35 and S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:48
S38	1	S23 same (S35 and S36)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:46
S39	1	S27 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:49
S40	39558	"372"/\$7.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 14:49
S41	7	S37 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/21 16:10